Comfosystems
Designer grilles

always
around you

Heating | Cooling | Fresh Air | Clean Air

Zehnder OnFloor and InFloor – effective and hygienic

There are two versions of air distribution systems available from Zehnder Comfosystems – Flat 51 semi rigid duct and ComfoTube 75mm semi rigid duct. In both cases, the volume of air is regulated as required. They are both recognised for their problem-free integration into the building and rapid installation. In the case of Zehnder OnFloor, fresh air flows through patented, flat, oval ducts with an internal coating, which are installed in the insulation layer of the unfinished floor. Zehnder InFloor functions on the same principle, only the round tubes are laid in the unfinished floor.

OnFloor air distribution (on the unfinished floor)

Flat 51 semi rigid duct



- Oval, flexible flat tube (51 mm) – easy to install
- High-quality food-grade plastic (HDPE)
- Clinside smooth internal coating
- Air volumes can be adjusted centrally or locally
- Low pressure drop
- Easy to clean

InFloor air distribution (in the unfinished floor)

ComfoTube 75 mm semi rigid duct



- Flexible round tube – easy to install
- High-quality food-grade plastic (HDPE)
- Clinside smooth internal coating
- Air volumes can be adjusted centrally or locally
- Low pressure drop
- Easy to clean



Clean thanks to Clinside: The smooth internal coating prevents dust from building up. For easy cleaning.

Surfaces

Unparalleled elegant and functional design in stainless steel or in white – honoured with the iF Design Award.



Zehnder Abacus



Zehnder Engelberg

product design award 2009

The Zehnder Abacus and Zehnder Engelberg designer grilles were the recipients of the iF Design Award 2009

Designer grilles
Zehnder InFloor

Supply and extract air designer grilles

zehnder *roma*

990 320 610 (ss), 990 320 611 (w)

zehnder *genua*

990 320 660 (ss), 990 320 661 (w)

zehnder *pisa*

990 320 620 (ss), 990 320 621 (w)

zehnder *verona*

990 320 600 (ss), 990 320 601 (w)

zehnder *torino*

990 320 630 (ss), 990 320 631 (w)

zehnder *venezia*



990 320 640 (ss), 990 320 641 (w)

Dimensions: 260 x 160 mm

For installation in walls, ceilings and floors. White grilles are not suitable as floor grilles.

Supply air designer grilles

zehnder *roma*



990 320 612 (ss)

zehnder *pisa*

990 320 622 (ss)

Dimensions: 300 x 200 mm (20 mm edge covering)

For installation in floors.

zehnder *abacus*



990 320 795 (ss), 990 320 796 (w)

zehnder *grid one*

990 320 797 (ss)

zehnder *engelberg*

990 320 793 (ss), 990 320 794 (w)

zehnder *grid two*

990 320 798 (ss)

zehnder *vienna*

990 320 803 (ss), 990 320 804 (w)

zehnder *blossom*

990 320 799 (ss), 990 320 800 (w)

zehnder *luzern*

990 320 801 (ss), 990 320 802 (w)

ss – stainless steel
w – white

zehnder *torino*



990 320 632 (ss)

zehnder *venezia*

990 320 642 (ss)

Designer grilles Zehnder OnFloor

Supply and extract air designer grilles

zehnder *roma*

990 322 081 (ss), 990 322 080 (w)

zehnder *pisa*



990 322 083 (ss), 990 322 082 (w)

zehnder *torino*

990 322 085 (ss), 990 322 084 (w)

zehnder *venezia*



990 322 087 (ss), 990 322 086 (w)

Dimensions: 350 x 130 mm.

For installation in walls, ceilings and floors. White grilles are not suitable as floor grilles.

Designer grilles Zehnder InFloor and OnFloor

Extract air designer grilles

zehnder *torino*

990 322 088 (ss)
990 322 792 (w)

zehnder *venezia*

990 322 089 (ss)
990 322 090 (w)

Dimensions: 160 x 160 mm, Ø 160 mm

For installation in walls and ceilings.

zehnder *abacus*



990 322 112 (ss), 990 322 113 (w)

zehnder *grid one*

990 322 114 (ss)

zehnder *engelberg*

990 322 110 (ss), 990 322 111 (w)

zehnder *grid two*

990 322 115 (ss)

zehnder *vienna*

990 322 122 (ss), 990 322 123 (w)

zehnder *luzern*

990 322 120 (ss), 990 322 121 (w)

ss – stainless steel
w – white

zehnder *torino*

990 320 790 (ss)
990 320 791 (w)

zehnder *venezia*

990 320 780 (ss)
990 320 781 (w)

zehnder *sans soucis*

990 322 116 (ss)
990 322 117 (w)

zehnder *sacré coeur*

990 322 118 (ss)
990 322 119 (w)

CUK-CSY-GITTER, V0611_1 , en, subject to change without notice

Zehnder Comfosystems · Brookside Avenue · Rustington, West Sussex, BN16 3LF · UK
T +44 1903 777333 · F +44 1903 782398 · technical@comfosystems.co.uk · www.comfosystems.co.uk