

Zehnder Roda Electric

Product description


zehnder



Roda vertical version (ROEV) with control unit at the left side.



ROEVD



ROEHD

Electric Zehnder Roda radiators are efficient decorative radiators, available as horizontal or vertical, perfect for all living areas, and is also available made-to-measure.


- Flat tubes 70 x 11 mm, clearance between 4 mm, round manifold tubes Ø 38 mm
- Standard version primed and painted in RAL 9016
- Fixing: Delivered ready to install with wall brackets in colour of radiator.

Electric operation

- Integrated digital control on the top (model ROEHD, ROEVD) or on the left (model ROEV)
- Electronic thermostat
- 5 operating modes
- Timer function
- Radiator filled with heat transfer liquid
- Without plug, appliance class II
- Pilot cable integrated
- Protection class IP44
- Supply voltage: 230 V




Overview of models



ROEHD

Horizontal double panel version with control unit on the top


Model	H mm	L mm	Electric rating Watt	M kg
ROEHD040-080/LF	444	800	750	21,5
ROEHD040-110/LF	444	1100	1000	28,3
ROEHD040-150/LF	444	1500	1500	37,7
ROEHD060-080/LF	592	800	1000	28,7
ROEHD060-110/LF	592	1100	1250	38,5
ROEHD060-130/LF	592	1300	1500	44,8
ROEHD060-150/LF	592	1500	2000	50,4



ROEVD

Vertical double panel version with control unit on the top

Model	H mm	L mm	Electric rating Watt	M kg
ROEVD050-060/LF	510	609	500	24
ROEVD050-090/LF	510	905	750	34
ROEVD050-120/LF	510	1201	1000	45
ROEVD050-150/LF	510	1497	1250	56
ROEVD070-060/LF	710	609	750	29
ROEVD070-080/LF	710	831	1000	39
ROEVD070-100/LF	710	979	1250	46
ROEVD070-120/LF	710	1201	1500	56
ROEVD070-140/LF	710	1423	1750	66




ROEV

Vertical single panel version with control unit on the left side


Model	H mm	L mm	Electric rating Watt	M kg
ROEV150-040/LF	1517	375	750	24
ROEV180-045/LF	1817	449	1000	32
ROEV180-060/LF	1817	597	1500	40
ROEV200-030/LF	2017	301	750	26
ROEV200-040/LF	2017	375	1000	31
ROEV200-050/LF	2017	523	1250	40
ROEV200-060/LF	2017	597	1500	44
ROEV200-075/LF	2017	745	2000	53
ROEV220-030/LF	2217	301	1000	29
ROEV220-045/LF	2217	449	1250	39
ROEV220-050/LF	2217	523	1500	44
ROEV220-070/LF	2217	671	2000	53

Technology


ROEHD



ROEVD




ROEV



ROEV:

Easy to install by hinged mounting brackets



- L = Length
- H = Height
- B = Control panel

Dimensions in mm